



Personal birding tour

5 to 11 October 2009

for Swedish group

Gert Johansson, Sören Jägmarker, Bengt Andersson, Christer Larsson, Roger Holmberg, Sören Strandberg, Carl-Axel Bauer, Göran Pettersson

Melbourne — Ouyen — Deniliquin — Beechworth — Healesville

Tour leader: Philip Maher
Logistics and catering: Patricia Maher

enquiries@philipmaher.com

www.philipmaher.com

Species	October 2009	5	6	7	8	9	10	11
Emu <i>Dromius novaehollandiaea</i>				S	S			
#Malleefowl <i>Leipoa ocellata</i>			T	S2				
*Stubble Quail <i>Coturnix pectoralis</i>					S			
*Blue-billed Duck <i>Oxyura australis</i>			S	S				
*Musk Duck <i>Stictonetta naevosa</i>				S				
Black Swan <i>Cygnus atratus</i>				S		S		
Australian Shelduck <i>Tadorna tadornoides</i>		S	S					
Australian Wood Duck <i>Chenonetta jubata</i>		S	S	S	S	S	S	S
Black Duck <i>Anas superciliosa</i>		S	S	S	S	S	S	
Grey Teal <i>Anas gracilis</i>			S			S	S	
*Chestnut Teal <i>Anas castanea</i>							S	
*Pink-eared Duck <i>Malacorhynchus membranaceus</i>		S	S	S	S	S	S	S
*Hardhead <i>Aythya australis</i>			S			S		
Australasian Grebe <i>Tachybaptus novaehollandiae</i>			S	S	S		S	
Hoary-headed Grebe <i>Poliiocephalus poliocephalus</i>		S	S					
*Great Crested Grebe <i>Podiceps cristatus</i>			S	S				
Darter <i>Anhinga melanogaster</i>		S	S	S	S	S	S	S
Little Pied Cormorant <i>Phalacrocorax melanoleucos</i>						S	S	
Little Black Cormorant <i>Phalacrocorax sulcirostris</i>		S				S		
Great Cormorant <i>Phalacrocorax carbo</i>						S		
*Australian Pelican <i>Pelecanus conspicillatus</i>		S	S	S	S	S	S	S

S = seen, H = heard, B = breeding, L = seen only by the leader, © = Clements

* Nomadic or migratory species # Away from the Deniliquin district.

White-faced Heron <i>Egretta novaehollandiae</i>	5	6	7	8	9	10	11
		S			S	S	S
White-necked Heron <i>Ardea pacifica</i>					S		
Great Egret <i>Ardea alba</i>	S			S	S		
*Intermediate Egret <i>Ardea intermedia</i>	5	6	7	8	9	10	11
Australian White Ibis <i>Threskiornis molucca</i>	S	S			S	S	S
Straw-necked Ibis <i>Threskiornis spinicollis</i>	S				S	S	S
Royal Spoonbill <i>Platalea regia</i>					S	S	
Yellow-billed Spoonbill <i>Platalea flavipes</i>	S			S	S	S	
Black-shouldered Kite <i>Elanus axillaris</i>	5	6	7	8	9	10	11
	S				S	S	
Black Kite <i>Milvus migrans</i>			S	S	S		
Whistling Kite <i>Haliastur sphenurus</i>	S	S		S	S		
White-bellied Sea-eagle <i>Haliaeetus leucogaster</i>		S					
*Spotted Harrier <i>Circus assimilis</i>	5	6	7	8	9	10	11
				S	S		
Swamp Harrier <i>Circus approximans</i>				S	S		
Brown Goshawk <i>Accipiter fasciatus</i>		?		S		S	
Wedge-tailed Eagle <i>Aquila audax</i>	S				S	S	
Little Eagle <i>Hieraaetus morphnoides</i>	5	6	7	8	9	10	11
	S	S			S	S	S
Brown Falcon <i>Falco berigora</i>			S	S	S		
Australian Hobby <i>Falco longipennis</i>		S		S	S		
Black Falcon <i>Falco subniger</i>					S		
Nankeen Kestrel <i>Falco cenchroides</i>	5	6	7	8	9	10	11
	S		S	S	S		
*Australian Spotted Crake <i>Porzana fluminea</i>					S		
Purple Swamphen <i>Porphyrio porphyrio</i>		S			S		

S = seen, H = heard, B = breeding, L = seen only by the leader, © = Clements

* Nomadic or migratory species # Away from the Deniliquin district.

Dusky Moorhen <i>Gallinula tenebrosa</i>				S	S	S	
*Black-tailed Native-hen <i>Gallinula ventralis</i>	S	S			S	S	
Eurasian Coot <i>Fulica atra</i>	S	S	S			S	
*Little Button-quail <i>Turnix velox</i>	5	6	7	8 S3	9	10	11
*Painted Button-quail <i>Turnix varia</i>						S	
Plains-wanderer <i>Pedionomus torquatus</i>				S2			
*Common Greenshank <i>Tringa nebularia</i>	5	6	7	8 S	9	10	11
*Red-necked Stint <i>Calidris ruficollis</i>				S			
*Sharp-tailed Sandpiper <i>Calidris acuminata</i>				S			
*Black-winged Stilt <i>Himantopus himantopus</i>			S		S	S	

*Red-capped Plover <i>Charadrius ruficapillus</i>			S				
*Inland Dotterel <i>Charadrius australis</i>	5	6	7	8 S15	9	10	11
Black-fronted Dotterel <i>Elseya melanops</i>					S	S	
*Red-kneed Dotterel <i>Erythrogonys cinctus</i>		S			S	S	
Masked Lapwing <i>Vanellus miles</i>	S			S	S	S	S
Silver Gull <i>Larus novaehollandiae</i>					S		
*Whiskered Tern <i>Chlidonias hybridus</i>			S				
Rock Dove <i>Columba livia</i>			S	S			
Common Bronzewing <i>Phaps chalcoptera</i>	S	S	S	S	S	S	S
Crested Pigeon <i>Ocyphaps lophotes</i>	S	S	S	S	S	S	S
Peaceful Dove <i>Geopelia striata</i>				S	S	S	
#Gang Gang Cockatoo <i>Callacephalon fimbriatum</i>	5	6	7	8	9	10	11 S4
Galah <i>Cacatua roseicapilla</i>	S	S	S	S	S	S	S

S = seen, H = heard, B = breeding, L = seen only by the leader, © = Clements

* Nomadic or migratory species # Away from the Deniliquin district.

Long-billed Corella <i>Cacatua tenuirostris</i>	S		S	S	S		
Little Corella <i>Cacatua sanguinea</i>		H					S
*Major Mitchell's Cockatoo <i>Cacatua leadbeateri</i>		S	S	S			
Sulphur-crested Cockatoo <i>Cacatua galerita</i>	5 S	6 S	7	8 S	9 S	10 S	11 S
*Cockatiel <i>Nymphicus hollandicus</i>	S		S	S	S	S	
Rainbow Lorikeet <i>Trichoglossus haematodus</i>							S
*Musk Lorikeet <i>Glossopsitta concinna</i>	S						

Little Lorikeet <i>Glossopsitta pusilla</i>	5	6	7	8	9 S	10	11
Australian King Parrot <i>Alisterus scapularis</i>						S	S
Superb Parrot <i>Polytelis swainsonii</i>	5	6	7	8	9 S20	10	11
Regent Parrot <i>Polytelis anthopeplus</i>		S 15					
Crimson Rosella <i>Platycercus elegans</i>	S						
Yellow Rosella <i>Platycercus flaveolus</i> ©		S		S	S		
Eastern Rosella <i>Platycercus eximius</i>	S				S	S	S
Australian Ringneck <i>Barnardius zonarius</i>		S	S				
Blue Bonnet <i>Northiella haematogaster</i>	S	S	S	S	S		
*#Swift Parrot <i>Lathamus discolor</i>	5	6	7	8	9	10	11
Red-rumped Parrot <i>Psephotus haematonotus</i>	S	S	S	S	S	S	
Mulga Parrot <i>Psephotus varius</i>			S				
*Budgerigar <i>Melopsittacus undulatus</i>				S			
#Turquoise Parrot <i>Neophema pulchella</i>						S	
*Pallid Cuckoo <i>Cuculus pallidus</i>	5 S+H	6	7	8	9 S	10 S	11 H
*Fan-tailed Cuckoo <i>Cacomantis flabelliformis</i>	SB					S	S

S = seen, H = heard, B = breeding, L = seen only by the leader, © = Clements

* Nomadic or migratory species # Away from the Deniliquin district.

*Black-eared Cuckoo <i>Chrysococcyx osculans</i>	5	6	7	8	9	10	11
				S	S	S	
*Horsfield's Bronze-cuckoo <i>Chrysococcyx basalis</i>							
*Shining Bronze-cuckoo <i>Chrysococcyx lucidus</i>						S	
#Barking Owl <i>Ninox connivens</i>							S
Southern Boobook <i>Ninox novaeseelandiae</i>							H
*Barn Owl <i>Tyto alba</i>				S			
Tawny Frogmouth <i>Podargus strigoides</i>				H	S		
Australian Owlet Nightjar <i>Aegotheles cristatus</i>	5	6	7	8	9	10	11
				S			

Azure Kingfisher <i>Alcedo azurea</i>				S	S		
Laughing Kookaburra <i>Dacelo novaeguineae</i>	S	S	S	S	S	S	S
*Red-backed Kingfisher <i>Todiramphus pyrrhopygia</i>					S		
*Sacred Kingfisher <i>Todiramphus sanctus</i>	S				S	S	
*Rainbow Bee-eater <i>Merops ornatus</i>				S	S		
*Dollarbird <i>Eurystomus orientalis</i>	5	6	7	8	9	10	11
				S			
#Superb Fairywren <i>Malurus cyaneus</i>	S			S	S	S	S
Splendid Fairy-wren <i>Malurus splendens</i>		S	S				
Variiegated Fairy-wren <i>Malurus lamberti</i>		S					
White-winged Fairy-wren <i>Malurus leucopterus</i>			S	S			
#Mallee Emu-wren <i>Stipiturus mallee</i>	5	6	7	8	9	10	11
		S4					
#Striated Grasswren <i>Amytornis striatus</i>			S4				
Spotted Pardalote <i>Pardalotus punctatus</i>				S		S	
#Yellow-rumped Pardalote © <i>Pardalotus punctatus</i> sub. sp. <i>Xanthopygus</i>		S					
Striated Pardalote <i>Pardalotus striatus</i>	S	S		S	S	S	S

S = seen, H = heard, B = breeding, L = seen only by the leader, © = Clements

* Nomadic or migratory species # Away from the Deniliquin district.

White-browed Scrubwren <i>Sericornis frontalis</i>	S			S		S	S
#Shy Heathwren <i>Hylacola cauta</i>		S					
#Speckled Warbler <i>Chthonicola sagittata</i>					S	S	
*Western Gerygone <i>Gerygone fusca</i>				S			

#White-throated Gerygone <i>Gerygone olivacea</i>						S	
Brown Thornbill <i>Acanthiza pusilla</i>	5 S	6	7	8	9	10 S	11 S
Inland Thornbill <i>Acanthiza apicalis</i>		S	S				
Chestnut-rumped Thornbill <i>Acanthiza uropygialis</i>		SB	S	S			
Buff-rumped Thornbill <i>Acanthiza reguloides</i>				S	S	S	S
Yellow-rumped Thornbill <i>Acanthiza chrysorrhoa</i>	S			S	S		H
Yellow Thornbill <i>Acanthiza nana</i>	5 S	6	7 S	8 S	9 H	10	11 S
Striated Thornbill <i>Acanthiza lineata</i>	S			S	S	S	S
Southern Whiteface <i>Aphelocephala leucopsis</i>			S	S			
Red Wattlebird <i>Anchochaera carunculata</i>	S	S			S	S	S
Striped Honeyeater <i>Plectorhyncha lanceolata</i>			H		S		
Spiny-cheeked Honeyeater <i>Acanthagenys rufogularis</i>	5	6	7 S	8 S	9 S	10	11
Noisy Friarbird <i>Philemon corniculatus</i>				S		S	
Little Friarbird <i>Philemon citreogularis</i>				S	S		
Blue-faced Honeyeater <i>Entomyzon cyanotis</i>				S	S		
Noisy Miner <i>Manorina melanocephala</i>	5 S	6 S	7 S	8 S	9 S	10 S	11 S
Yellow-throated Miner <i>Manorina flavigula</i>			S				

#Yellow-faced Honeyeater <i>Lichenostomus Chrysops</i>	S					H	S
Singing Honeyeater <i>Lichenostomus virescens</i>			S	S	S		

S = seen, H = heard, B = breeding, L = seen only by the leader, © = Clements

* Nomadic or migratory species # Away from the Deniliquin district.

#White-eared Honeyeater <i>Lichenostomus leucotis</i>	S	H						
#Yellow-tufted Honeyeater <i>Lichenostomus melanops</i>	5 S	6	7	8	9 S	10 S	11	
#Yellow-plumed Honeyeater <i>Lichenostomus ornatus</i>		S	S					
#Fuscous Honeyeater <i>Lichenostomus fuscus</i>	S				S	S		
White-plumed Honeyeater <i>Lichenostomus penicillatus</i>	S	S	S	S	S			
Black-chinned Honeyeater <i>Melithreptus gularis</i>	S					S		
Brown-headed Honeyeater <i>Melithreptus brevirostris</i>	5 S	6 H	7 S	8	9	10	11	
#White-naped Honeyeater <i>Melithreptus lunatus</i>	S							
#New Holland Honeyeater <i>Phylidonyris novaehollandiae</i>	S	S					S	
*Black Honeyeater <i>Certhionyx niger</i>					S6			
*Orange Chat <i>Epthianura tricolor</i>			S2					
White-fronted Chat <i>Epthianura albifrons</i>			S	S				
Jacky Winter <i>Microeca fascinans</i>	5	6	7	8 S	9 S	10 S	11	
*Scarlet Robin <i>Petroica multicolor</i>						S	S	
Red-capped Robin <i>Petroica goodenovii</i>		S	S	S	S	S		
#Rose Robin <i>Petroica rosea</i>							S	
Hooded Robin <i>Melanodryas cucullata</i>	5	6	7	8 S	9	10	11	
#Eastern Yellow Robin <i>Eopsaltria australis</i>	S					S	S	
#Southern Scrub-robin <i>Drymodes brunneopygia</i>		S						
Grey-crowned Babbler <i>Pomatostomus temporalis</i>				S	S			
White-browed Babbler <i>Pomatostomus superciliosus</i>	S			S		S		
Chestnut-crowned Babbler <i>Pomatostomus ruficeps</i>	5	6 S	7	8	9	10	11	
#Spotted Quail-thrush <i>Cinclosoma punctatum</i>						S		

S = seen, H = heard, B = breeding, L = seen only by the leader, © = Clements

* Nomadic or migratory species # Away from the Deniliquin district.

#Chestnut Quail-thrush <i>Cinlosoma castanotus</i>		S	S					
Varied Sittella <i>Daphoenositta chrysoptera</i>					S		S7	
Crested Shrike-tit <i>Falcunculus frontatus</i>	5 S	6	7	8 S	9	10 S	11	
#Crested Bellbird <i>Oreoica gutturalis</i>		S						
Gilbert's Whistler <i>Pachycephala inornata</i>		S		S				
*Golden Whistler <i>Pachycephala pectoralis</i>	5 S	6 S	7	8	9	10 S	11 S	
Rufous Whistler <i>Pachycephala rufiventris</i>	S		S	S	S	S	H	
Grey Shrike-thrush <i>Colluricincla harmonica</i>	S	S	S	S	S	S	H	
*Leaden Flycatcher <i>Myiagra rubecula</i>						S		
Restless Flycatcher <i>Myiagra inquieta</i>	5	6	7	8	9	10 S	11	
Magpie Lark <i>Grallina cyanoleuca</i>	S	S	S	S	S	S	S	
Grey Fantail <i>Rhipidura fuliginosa</i>	S			S		S	S	
Willie Wagtail <i>Rhipidura leucophrys</i>	S	S	S	S	S	S	S	
Black-faced Cuckoo-shrike <i>Coracina novaehollandiae</i>	S	S	S	S	S	S	S	
*White-bellied Cuckoo-shrike <i>Coracina papuensis</i>	5 S	6	7	8 L2	9	10	11	
*White-winged Triller <i>Lalage sueurii</i>		S	S	S	S	S		
*Olive-backed oriole <i>Oriolus sagittatus</i>	S					S	S	
*White-breasted Woodswallow <i>Artamus leucorhynchus</i>	5	6	7	8	9 S	10 S	11	
*Masked Woodswallow <i>Artamus personatus</i>		S	S	S	S			
*White-browed Woodswallow <i>Artamus superciliosus</i>		S	S	S	S			
*Black-faced Woodswallow <i>Artamus cinereus</i>					S			
Dusky Woodswallow <i>Artamus cyanopterus</i>	S	S		S	S	S		
Grey Butcherbird <i>Cracticus torquatus</i>	5	6 S	7 S	8 S	9	10	11 S	
Pied Butcherbird <i>Cracticus nigrogularis</i>		S	S	S	S			
Australian Magpie <i>Gymnorhina tibicen</i>	S	S	S	S	S	S	S	

S = seen, H = heard, B = breeding, L = seen only by the leader, © = Clements

* Nomadic or migratory species # Away from the Deniliquin district.

	*Pied Currawong <i>Strepera graculina</i>	S					S	S
	#Grey Currawong <i>Strepera versicolor</i>	S		H				
	Australian Raven <i>Corvus coronoides</i>	S	S	S	S	S	S	S
	Little Raven <i>Corvus mellori</i>	S		S	S	S		
	White-winged Chough <i>Corcorax melanorhamphos</i>	S	S	S	S	S	S	S
	Apostlebird <i>Struthidea cinerea</i>		S					
	#Satin Bowerbird <i>Ptilonorhynchus violaceus</i>	5	6	7	8	9	10 L	11
	Singing Bushlark <i>Mirafrja javanica</i>				S			
	Australasian Pipit <i>Anthus novaeseelandiae</i>				S	S		
	House Sparrow <i>Passer domesticus</i>	S	S	S	S	S	H	S
	Zebra Finch <i>Taeniopygia guttata</i>				S	S		
	Red-browed Finch <i>Neochmia temporalis</i>	S			S		S	H
	Diamond Firetail <i>Stagonopleura guttata</i>				S			
	European Goldfinch <i>Carduelis carduelis</i>			S			S	
	Mistletoebird <i>Dicaeum hirundinaceum</i>	5	6	7	8 S	9	10 S	11
	*White-backed Swallow <i>Cheramoeca leucosternus</i>						S	
	Welcome Swallow <i>Hirundo neoxena</i>	S	S	S	S	S	S	S
	Tree Martin <i>Hirundo nigricans</i>		S	S	S		S	
	*Fairy Martin <i>Hirundo ariel</i>	S		S	S	S	S	S
	*Clamorous Reed Warbler <i>Acrocephalus stentoreus</i>	5	6	7	8	9 S	10 S	11
	*Little Grassbird <i>Megalurus gramineus</i>					S	S	
	*Rufous Songlark <i>Cincloramphus mathewi</i>	S			S	S	S	S
	*Brown Songlark <i>Cincloramphus cruralis</i>			S	S	S		
	Silvereye <i>Zosterops lateralis</i>	5 S	6	7	8	9	10	11 S

S = seen, H = heard, B = breeding, L = seen only by the leader, © = Clements

* Nomadic or migratory species # Away from the Deniliquin district.

	5	6	7	8	9	10	11
#Bassian Thrush <i>Zoothera lunulate</i>							
Common Blackbird <i>Turdus merula</i>	S	S		S		S	S
Common Starling <i>Sturnus vulgaris</i>	S			S		S	S
Common Myna <i>Acridotheres tristis</i>	S				S		
MAMMALS	5	6	7	8	9	10	11
Eastern grey Kangaroo	S					S	
Western grey kangaroo	S						
Black wallaby	S				S	S	
Koala						S	
	5	6	7	8	9	10	11
REPTILES							
Red-bellied black snake						S	
Tree goanna						S	S

S = seen, H = heard, B = breeding, L = seen only by the leader, © = Clements

* Nomadic or migratory species # Away from the Deniliquin district.